

PRODUCT
CATALOGUE



TIMELESS DESIGN FOR CONTEMPORARY INTERIOR



600x
1200mm

600x
600mm

Glazed
vitrified
tiles

COMPANY PROFILE

Royal Exporters was founded in 1995, and is today a diversified brand with four of its factories, each with its own identity, fully responding to the many requirements of a continuously changing international market. Despite being a young company in the ceramic sector, we have enjoyed rapid growth and development, as a result, we have quickly earned our place among the top brands in India.

Envisioned by its pioneer Mr. Kunal Danagaria, his goal was not to specialise in one particular product, but rather in all materials used for flooring, coverings and the decoration of all environments, constantly seeking to stay one step ahead of the latest architectural and interior design trends, giving every space its own distinct style. The strength of the group consists in its diversified, eclectic, innovative and fashionable solutions, available in a vast range of sizes, from small size wall tiles to the larger formats slabs.

Our Group of factories – Eddica Ceramics LLP, Geotech Ceramics, Notto Granito LLP and Delta Tiles India LLP manufactures various sizes of ceramic wall & floor and porcelain floor tiles. All our factories have highly automated and advanced production facilities and are situated in the heart of India's ceramic hub in Morbi, Gujarat. Right from machinery to raw materials, we procure the very best from various foreign sources like Italy, Spain and China. At pace with prevailing trends in the international market, our product range aptly complements the contemporary consumers' demands and has got wide acceptance in many Europe, USA, Latin America, African, Gulf, Middle East and South Asian countries. To bind all this together and offer high-quality products to our customers, Royal Exporters has stringent and elaborate quality control systems in place which match the international quality standards.

With new and trendsetting products being introduced regularly, Royal Exporters continues to take huge strides towards becoming the world's unprecedented leader in the ceramic industry.



01

COMPANY STRENGTHS

04

High-end
Technology
Installed

1500

100%
Satisfied
Customers

30+

Export
Countries

30,000

Production Capacity
(Sq. Mts. Per Day)

04

Factories to Cater
Wide Range of
Products

Royal Exporters is a leading manufacturer of innovative tiles in India. With a grand production capacity of 30,000 Sq. Mts per day and two-star export house certification, our products are sold to 30+ countries across the world.

With a constant urge to innovate and progress, we always come up with something new to provide a better lifestyle for our customers.

INNOVATIVE TECHNOLOGY

At Royal Exporters, we strive to deliver perfection to our customers. Our products are crafted using the high-end technology at our state-of-art manufacturing plant. We are equipped with latest machines that enables us to innovate and bring new and unique products to the ceramic market.



TECHNOLOGY INSTALLED AT THE PLANT

KEDA
POLISHING

SACMI

GP
Nade New Materials

MODENA[®]

With high-end technology
installed at our facility,
we produce the best quality of tiles.



MASTER
PEACE OF
CERAMIC
CRAFTSMAN-
SHIP



600X
1200MM




600X
600MM

Glazed
Vitrified Tiles

AVAILABLE
SIZES IN
POLISHED VITRIFIED
TILES

Our tiles are available in various sizes giving an opportunity to experiment and create attractive spaces. The large-sized tiles create a spacious view and the small-sized tiles are the perfect fit for a compact space. These tiles have multiple features like resistance to scratches, water and chemicals that create a comfortable environment.

AVAILABLE
[9MM] THICKNESS
IN ALL SIZES



FEATURES



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant

GLOSSY FINISH

The glossy finish makes the room appear larger with the reflective surface giving the room a brilliant look. It enhances the design of the tiles and gives the place a luxurious style.


MATT FINISH

Matt finish gives a space a natural and simple appearance with a cozy ambience. It gives a strong character to the place with its urban and stylish look.



Glazed
Vitrified Tiles

Glossy / Matt
Finish



G5001

[8] Random



[16] Random





Glazed
Vitrified Tiles


Glossy / Matt
Finish




www.royalexporter.com




G5002




G5003




G5004



[2] Random



[2] Random



[2] Random



Glazed
Vitrified Tiles

Glossy / Matt
Finish



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant



G5005


[8] Random



G5006



[16] Random




[2] Random




Glazed
Vitrified Tiles

Glossy / Matt
Finish



www.royalexporter.com



G5007

[8] Random



[16] Random






Glazed
Vitrified Tiles



Glossy / Matt
Finish




www.royalexporter.com




G5008




G5009



[2] Random



G5010




[2] Random



Glazed
Vitrified Tiles

Glossy / Matt
Finish



www.royalexporter.com



G5011

[6] Random



[12] Random





Glazed
Vitrified Tiles

Glossy / Matt
Finish



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant

www.royalexporter.com




G5012


[8] Random



G5013



[16] Random




[2] Random



G5014


[8] Random



G5015



[16] Random



[2] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish



**600x
1200mm**

[9mm]
Thickness

**600x
600mm**



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs




Chemical
Resistant



Glazed
Vitrified Tiles

Glossy / Matt
Finish




www.royalexporter.com



G5016

[5] Random




[10] Random




Glazed
Vitrified Tiles

Glossy / Matt
Finish




G5017




[2] Random




G5018



[2] Random



G5019



[8] Random

[16] Random



Glazed
Vitrified Tiles

Glossy / Matt
Finish



< 0.08%
Water
Absorption



Scratch
Resistance




Random
Designs



Chemical
Resistant

www.royalexporter.com



G5020



G5021

[5] Random



[2] Random




[10] Random




Glazed
Vitrified Tiles

Glossy / Matt
Finish




www.royalexporter.com



G5022

[3] Random



[6] Random





Glazed
Vitrified Tiles

Glossy / Matt
Finish



< 0.08%
Water
Absorption



Scratch
Resistance




Random
Designs



Chemical
Resistant

www.royalexporter.com




G5O23


[5] Random



G5O24



[10] Random



[2] Random



Glazed
Vitrified Tiles

Glossy / Matt
Finish



< 0.08%
Water
Absorption



Scratch
Resistance




Random
Designs



Chemical
Resistant

www.royalexporter.com




G5025


[10] Random



G5026



[20] Random



[2] Random



Glazed
Vitrified Tiles

Glossy / Matt
Finish



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant

www.royalexporter.com




G5027

[3] Random



G5028



[6] Random



[2] Random



Glazed
Vitrified Tiles

Glossy / Matt
Finish



< 0.08%
Water
Absorption



Scratch
Resistance




Random
Designs



Chemical
Resistant

www.royalexporter.com




G5029

[4] Random




G5030

[6] Random



[4] Random




[6] Random



Glazed
Vitrified Tiles

Glossy / Matt
Finish



< 0.08%
Water
Absorption



Scratch
Resistance




Random
Designs




Chemical
Resistant


www.royalexporter.com



G5031




[2] Random






G5032



G5033

Glazed
Vitrified Tiles

Glossy / Matt
Finish



< 0.08%
Water
Absorption



Scratch
Resistance




Random
Designs



Chemical
Resistant




[2] Random



[2] Random


Glazed Vitrified Tiles

Glossy / Matt
Finish



G5034

[4] Random




[8] Random




Glazed
Vitrified Tiles

Glossy / Matt
Finish



G5035

[3] Random




[6] Random





G5036



G5037

[3] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish



600x
1200mm

[9mm]
Thickness

600x
600mm



< 0.08%
Water
Absorption




Scratch
Resistance




Random
Designs



Chemical
Resistant



[2] Random



[6] Random



Glazed
Vitrified Tiles

Glossy / Matt
Finish



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs




Chemical
Resistant

www.royalexporter.com



G5038

[8] Random



[16] Random





Glazed
Vitrified Tiles


Glossy / Matt
Finish




www.royalexporter.com




G5039



[2] Random




G5040




[2] Random




G5041



[2] Random



G5O42



G5O43

[5] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish



< 0.08%
Water
Absorption




Scratch
Resistance



Random
Designs



Chemical
Resistant



[2] Random



[10] Random



Glazed
Vitrified Tiles

Glossy / Matt
Finish




www.royalexporter.com




G5O44



[2] Random



G5O45



[2] Random



G5O46



[2] Random



Glazed
Vitrified Tiles

Glossy / Matt
Finish



< 0.08%
Water
Absorption



Scratch
Resistance




Random
Designs



Chemical
Resistant

www.royalexporter.com



G5047

[6] Random



[6] Random





Glazed
Vitrified Tiles

Glossy / Matt
Finish



www.royalexporter.com




G5O48




[2] Random




G5O49



[2] Random



G5O50




[2] Random



Glazed
Vitrified Tiles

Glossy / Matt
Finish




www.royalexporter.com



G5051

[8] Random



[16] Random





Glazed
Vitrified Tiles

Glossy / Matt
Finish



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant

www.royalexporter.com



G5052



G5053

[5] Random



[2] Random



[10] Random



G5054



G5055

[8] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant




[2] Random



[16] Random


Glazed
Vitrified Tiles

Glossy / Matt
Finish



G5056

[5] Random



[10] Random





Glazed
Vitrified Tiles

Glossy / Matt
Finish



< 0.08%
Water
Absorption



Scratch
Resistance




Random
Designs




Chemical
Resistant

www.royalexporter.com




G5057




G5058

[5] Random



[2] Random



[10] Random



Glazed
Vitrified Tiles

Glossy / Matt
Finish



< 0.08%
Water
Absorption



Scratch
Resistance




Random
Designs



Chemical
Resistant

www.royalexporter.com




G5059


[5] Random



G5060



[10] Random



[2] Random



Glazed
Vitrified Tiles

Glossy / Matt
Finish



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs




Chemical
Resistant

www.royalexporter.com



G5061




G5062

[8] Random



[2] Random



[16] Random



Glazed
Vitrified Tiles

Glossy / Matt
Finish



www.royalexporter.com




G5O63



[2] Random




G5O64



[2] Random



G5O65



[2] Random



Glazed
Vitrified Tiles

Glossy / Matt
Finish



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs




Chemical
Resistant

www.royalexporter.com




G5066


[6] Random



G5067



[12] Random



[2] Random



Glazed
Vitrified Tiles

Glossy / Matt
Finish



www.royalexporter.com




G5O68



[2] Random




G5O69



[2] Random



G5O70




[2] Random




Glazed
Vitrified Tiles

Glossy / Matt
Finish




www.royalexporter.com



G5071

[3] Random



[6] Random





Glazed
Vitrified Tiles


Glossy / Matt
Finish



www.royalexporter.com



G5072




G5073



G5074



[2] Random



[2] Random



[2] Random



Glazed
Vitrified Tiles

Glossy / Matt
Finish



**600x
1200mm**

[9mm]
Thickness

**600x
600mm**



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant

www.royalexporter.com




G5075


[5] Random



G5076



[10] Random



[2] Random



Glazed
Vitrified Tiles

Glossy / Matt
Finish



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs




Chemical
Resistant

www.royalexporter.com




G5077


[6] Random



G5078




[12] Random



[2] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish



G5079

[9] Random





[18] Random



Glazed
Vitrified Tiles

Glossy / Matt
Finish



G5080

[8] Random



[16] Random





G5081

[8] Random



G5082

Glazed
Vitrified Tiles

Glossy / Matt
Finish



**600x
1200mm**

[9mm]
Thickness

**600x
600mm**



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant



[16] Random



[2] Random



Glazed
Vitrified Tiles


Glossy / Matt
Finish



www.royalexporter.com



G5083



[2] Random



G5084



[2] Random




G5085




[2] Random




G5086



G5087



[2] Random



[2] Random

Glazed
Vitrified Tiles

Glossy / Matt
Finish



< 0.08%
Water
Absorption



Scratch
Resistance



Random
Designs



Chemical
Resistant

TECHNICAL SPECIFICATIONS

CHARACTERISTICS	ISO TEST METHODS	TILES REQUIREMENT AS PER ISO 13006 : 2012 GROUP B LLB	ROYAL EXPORTERS VALUE
DIMENSION & SURFACE QUALITY			
Deviation in length & Width	ISO 10545-2	± 0.5%	± 0.2%
Deviation in Thickness	ISO 10545-2	± 5%	± 3%
Straightness of sides	ISO 10545-2	± 0.5%	± 0.2%
Rectangularity	ISO 10545-2	± 0.5%	± 0.2%
Surface Flatness	ISO 10545-2	± 0.5%	± 0.2%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO 10545-3	< 0.50%	< 0.04%
mohs Hardness	EN-101	Min. 5	Min. 5
Flexural Strength	ISO 10545-4	>35N/mm2	>40N/mm2
Skid Resistance	ISO 10545-17	>0.4	>0.4
Breaking Strength	ISO 10545-11	>1113N	>1800N
Frost Resistance	ISO 10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO 10545-9	No Damage	No Damage
Moisture Expansion	ISO 10545-10	Nil	Nil
Resistance To Surface Abrasion	ISO 10545-7	Abrasion class shall be specifies by the mfg.	PEIIV
CHEMICAL PROPERTIES			
Chemicals Resistance	ISO 10545-13	No Damage	No Damage
Color Resistance	ISO 10545-16	No Damage	No Damage
Stain Resistance	ISO 10545-14	Resistant	Resistant



PACKING DETAIL

SIZE	THICKNESS	PCS./BOX	SQM./BOX	APPROX WEIGHT/BOX
600x1200mm	9 mm	2	1.44	29.00 kg.
600x600mm	9 mm	4	1.44	27.50 kg.

OUR GROUP OF COMPANIES



ROYAL EXPORTERS

1102, Nakshatra Heights,
150 Feet Ring Road, Rajkot - 360 005, Gujarat, INDIA
Email : info@royalexporter.com
Phone : +91 98985 58999 | +91 63549 19990

www.royalexporter.com

